

## Extreme Protective Case

**RIGID**





Rigid Technology Limited completely held by Keensure Industries Limited and began manufacturing plastic case since 2009. Now it is to be the primary supplier of Chinese army, navy and law enforcement for equipment storage.

Quality and service are the seal of Rigid, we have the in-house ability to design and manufacture innovative custom solutions for our clients with state of the art production facilities and multidisciplinary teams including specialists in thermoplastics engineering and tooling, industrial design, mold making, graphic design and manufacturing.

Complemented by a large selection of optional accessories and an incredible degree of customizability, Rigid is the best choice to move your equipment in complete security. Whether transporting valuable equipment around the world or simply protecting sensitive tools in the urban jungle, Rigid is up to the challenge.



A black drone is positioned on a light-colored paved surface. To its left is an open black protective case with a foam insert. The case is open, revealing a black foam insert with a cutout for a drone component. The drone is a quadcopter with four propellers and a camera mounted underneath. The scene is brightly lit, casting shadows on the pavement.

## Small Cases

PC2812



**Exterior Dimensions**  
 1,214 \* 822 \* 113mm  
 47.79" \* 32.36" \* 4.45"

**Interior Dimensions**  
 1,250 \* 810 \* 105mm  
 49.21" \* 31.90" \* 4.13"

**Lid/Case Depth**  
 25mm/1.00in  
 0.98"/0.39"

**Net Weight(N/D foam)**  
 1.8kg/3.97lb

**Color:**

PC2816



**Exterior Dimensions**  
 1,214 \* 822 \* 113mm  
 47.79" \* 32.36" \* 4.42"

**Interior Dimensions**  
 1,250 \* 810 \* 105mm  
 49.21" \* 31.90" \* 4.13"

**Lid/Case Depth**  
 25mm/1.00in  
 0.98"/0.39"

**Net Weight(N/D foam)**  
 1.9kg/4.19lb

**Color:**

PC3213



**Exterior Dimensions**  
 1,338 \* 820 \* 113mm  
 52.68" \* 32.32" \* 4.45"

**Interior Dimensions**  
 1,290 \* 810 \* 105mm  
 50.79" \* 31.90" \* 4.13"

**Lid/Case Depth**  
 28mm/1.10in  
 1.1"/0.44"

**Net Weight(N/D foam)**  
 1.6kg/3.53lb

**Color:**

PC3215



**Exterior Dimensions**  
 1,318 \* 820 \* 113mm  
 51.89" \* 32.32" \* 4.45"

**Interior Dimensions**  
 1,250 \* 810 \* 105mm  
 49.21" \* 31.90" \* 4.13"

**Lid/Case Depth**  
 28mm/1.10in  
 1.1"/0.44"

**Net Weight(N/D foam)**  
 1.7kg/3.75lb

**Color:**

**PC350**

**Exterior Dimensions**  
 1,290 \* W290 \* H145mm  
 12.9" \* 2.9" \* 1.45"

**Interior Dimensions**  
 1,271 \* W272 \* H126mm  
 12.71" \* 2.72" \* 1.26"

**Lid/Base Depth**  
 25mm/1.0mm  
 0.98"/0.39"

**Net Weight(N/IO foam)**  
 1.29kg/2.85lbs.

**Color:** ■ ■ ■

**PC360**

**Exterior Dimensions**  
 1,298 \* W294 \* H150mm  
 12.98" \* 2.94" \* 1.5"

**Interior Dimensions**  
 1,277 \* W278 \* H130mm  
 12.77" \* 2.78" \* 1.3"

**Lid/Base Depth**  
 40mm/1.6mm  
 1.57"/0.39"

**Net Weight(N/IO foam)**  
 2.29kg/5.05lbs.

**Color:** ■ ■ ■

**PC368**

**Exterior Dimensions**  
 1,340 \* W294 \* H155mm  
 13.4" \* 2.94" \* 1.55"

**Interior Dimensions**  
 1,320 \* W276 \* H135mm  
 13.2" \* 2.76" \* 1.35"

**Lid/Base Depth**  
 20mm/0.8mm  
 0.87"/1.17"

**Net Weight(N/IO foam)**  
 1.89kg/4.2lbs.

**Color:** ■ ■ ■

**PC395**

**Exterior Dimensions**  
 1,358 \* W290 \* H160mm  
 13.58" \* 2.9" \* 1.6"

**Interior Dimensions**  
 1,340 \* W271 \* H140mm  
 13.4" \* 2.71" \* 1.4"

**Lid/Base Depth**  
 28mm/1.1mm  
 1.1"/0.44"

**Net Weight(N/IO foam)**  
 1.89kg/4.2lbs.

**Color:** ■ ■ ■



## Medium Cases

## PCA271



**Exterior Dimensions**  
 1428 \* 902 \* 410mm  
 (56.2" \* 35.5" \* 16.1")

**Interior Dimensions**  
 1294 \* 767 \* 400mm  
 (51.3" \* 30.2" \* 15.7")

**Lid/Base Depth**  
 29mm/1.1mm  
 (1.1"/0.4")

**Net Weight(N/D foam)**  
 2.9kg/6.3lbs

**Color:** ■ ■

## PCA275



**Exterior Dimensions**  
 1428 \* 902 \* 410mm  
 (56.2" \* 35.5" \* 16.1")

**Interior Dimensions**  
 1294 \* 767 \* 400mm  
 (51.3" \* 30.2" \* 15.7")

**Lid/Base Depth**  
 29mm/1.1mm  
 (1.1"/0.4")

**Net Weight(N/D foam)**  
 2.9kg/6.3lbs

**Color:** ■ ■ ■ ■

## PCA278



**Exterior Dimensions**  
 1428 \* 902 \* 410mm  
 (56.2" \* 35.5" \* 16.1")

**Interior Dimensions**  
 1294 \* 767 \* 400mm  
 (51.3" \* 30.2" \* 15.7")

**Lid/Base Depth**  
 29mm/1.1mm  
 (1.1"/0.4")

**Net Weight(N/D foam)**  
 2.9kg/6.3lbs

**Color:** ■ ■ ■

## PCA279



**Exterior Dimensions**  
 1428 \* 902 \* 410mm  
 (56.2" \* 35.5" \* 16.1")

**Interior Dimensions**  
 1294 \* 767 \* 400mm  
 (51.3" \* 30.2" \* 15.7")

**Lid/Base Depth**  
 29mm/1.1mm  
 (1.1"/0.4")

**Net Weight(N/D foam)**  
 2.9kg/6.3lbs

**Color:** ■ ■ ■

## PC3815



**Exterior Dimensions**  
 1477 \* 9440 \* 416mm  
 58.17" \* 371.65" \* 16.38"

**Interior Dimensions**  
 1450 \* 9220 \* 400mm  
 57.12" \* 363.17" \* 15.74"

**Lid/Base Depth**  
 40mm/100mm  
 1.57"/3.94"

**Net Weight(N/D foam)**  
 3.7kg/8.16lbs

**Color:** ■ ■ ■

## PC3817



**Exterior Dimensions**  
 1477 \* 9440 \* 416mm  
 58.17" \* 371.65" \* 16.38"

**Interior Dimensions**  
 1448 \* 9220 \* 400mm  
 57.02" \* 363.17" \* 15.74"

**Lid/Base Depth**  
 40mm/100mm  
 1.57"/3.94"

**Net Weight(N/D foam)**  
 3.3kg/7.28lbs

**Color:** ■ ■ ■

## PC3821



**Exterior Dimensions**  
 1477 \* 9440 \* 416mm  
 58.17" \* 371.65" \* 16.38"

**Interior Dimensions**  
 1450 \* 9220 \* 400mm  
 57.12" \* 363.17" \* 15.74"

**Lid/Base Depth**  
 40mm/100mm  
 1.57"/3.94"

**Net Weight(N/D foam)**  
 4.1kg/9.03lbs

**Color:** ■ ■ ■

## PC3823



**Exterior Dimensions**  
 1528 \* 9440 \* 416mm  
 60.14" \* 371.65" \* 16.38"

**Interior Dimensions**  
 1498 \* 9220 \* 400mm  
 59.17" \* 363.17" \* 15.74"

**Lid/Base Depth**  
 50mm/100mm  
 1.97"/3.94"

**Net Weight(N/D foam)**  
 4.5kg/9.92lbs

**Color:** ■ ■ ■



A man in a dark wetsuit is standing on the deck of a boat, handling a white garment. The deck is equipped with various gear, including a large green military-style case and a smaller black case. A large, colorful sail (yellow, orange, and green) is visible in the background. The boat is on the water near a sandy beach and hills under a cloudy sky.

# Large Cases

## PC5526



**Exterior Dimensions**  
 1,511 \* W191 \* H104mm  
 (23.6" \* W3.02" \* H1.62")

**Interior Dimensions**  
 1,312 \* W181 \* H78mm  
 (20.5" \* W3.44" \* H1.27")

**Lid/Raise Depth**  
 58mm/160mm  
 1.97"/6.27"

**Net Weight(N/D foam)**  
 5.7kg/12.57lbs

**Color:**

## PC5705



**Exterior Dimensions**  
 1,418 \* W148 \* H100mm  
 (24.82" \* W3.52" \* H1.57")

**Interior Dimensions**  
 1,258 \* W138 \* H70mm  
 (21.92" \* W3.46" \* H1.21")

**Lid/Raise Depth**  
 58mm/160mm  
 1.97"/6.27"

**Net Weight(N/D foam)**  
 7.4kg/16.41lbs

**Color:**

## PC6703



**Exterior Dimensions**  
 1,403 \* W140 \* H100mm  
 (24.02" \* W3.32" \* H1.62")

**Interior Dimensions**  
 1,243 \* W130 \* H70mm  
 (21.58" \* W3.14" \* H1.21")

**Lid/Raise Depth**  
 58mm/160mm  
 1.97"/6.27"

**Net Weight(N/D foam)**  
 6.8kg/15.01lbs

**Color:**

## PC6530



**Exterior Dimensions**  
 1,417 \* W140 \* H100mm  
 (23.47" \* W3.48" \* H1.59")

**Interior Dimensions**  
 1,258 \* W130 \* H70mm  
 (21.92" \* W3.35" \* H1.43")

**Lid/Raise Depth**  
 58mm/160mm  
 1.97"/6.27"

**Net Weight(N/D foam)**  
 7.8kg/17.20lbs

**Color:**

**PC6637**

**Exterior Dimensions**  
 LxWxH  
 326.26" x 219.67" x 154.50"

**Interior Dimensions**  
 LxWxH  
 323.97" x 217.32" x 152.6"

**Lid/Case Depth**  
 58mm/2.31in  
 1.97" x 16.40"

**Net Weight(With foam)**  
 18.54kg/40.95lbs

**Color:** ■ ■

**PC6938**

**Exterior Dimensions**  
 LxWxH  
 321.32" x 223.31" x 141.38"

**Interior Dimensions**  
 LxWxH  
 324.67" x 221.88" x 149.66"

**Lid/Case Depth**  
 58mm/2.31in  
 1.97" x 2.20"

**Net Weight(With foam)**  
 10.54kg/23.15lbs

**Color:** ■ ■

**PC6960**

**Exterior Dimensions**  
 LxWxH  
 321.32" x 223.31" x 141.38"

**Interior Dimensions**  
 LxWxH  
 324.67" x 221.88" x 149.66"

**Lid/Case Depth**  
 58mm/2.31in  
 1.97" x 1.68"

**Net Weight(With foam)**  
 10.3kg/22.51lbs

**Color:** ■ ■

**PC8033**

**Exterior Dimensions**  
 LxWxH  
 332.13" x 228.55" x 142.4"

**Interior Dimensions**  
 LxWxH  
 329.13" x 226.13" x 141.82"

**Lid/Case Depth**  
 58mm/2.31in  
 2.17" x 8.56"

**Net Weight(With foam)**  
 11.9kg/26.43lbs

**Color:** ■ ■

## Rigid services

Rigid has the in-house ability to develop a project from its initial idea, all the way to a market-ready finished product. Whether it involves printing, custom interiors, or OEM integration, Rigid can provide a turnkey solution that is on budget and on time. Make us part of your winning team.

Contact us today and we will show you how we can turn an idea into a success story.

## Customized Colors



# Customize your case

## Customized Foam



## Customized Logo



## Customized Integrated Panel





## Keensure Industries Limited

CM01 Daxi Industrial Zone, Dalang South Rd.,  
Longhua District, Shenzhen 518109, China

T. 86-755 2568 7103  
E. sales@keensure.com

## Rigid Technology Limited

Wod58, Shenzhou Rd., Siming Town, Yuyao Ningbo, China

Website: <http://www.rigid-tes.com>

T. 86-576 6267 6263  
E. sales@keensure.com